

Product Datasheet | HLA-C*07:02 easYmer® kit

Application	easYmers® are peptide loadable HLA class I monomers.			
	easYmers® can be used to generate peptide-HLA monomers with your choice of peptide. The monomers can easily be tetramerized with fluorophore conjugated streptavidin and used to analyse T cells by flow cytometry. The easYmer reagent can also be used to evaluate specific peptide-HLA I binding.			
Catalog no.	1122-01			
Size	Test	Vol.	Loading Buffer	Control Peptide
	20	40 µl	1 vial (0.5 ml)	1 vial
	50	100 µl	1 vial (1 ml)	1 vial
	150	300 µl	1 vial (1 ml)	2 vials
	500	1000 µl	1 vial (3 ml)	3 vials
Allotype	HLA-C*07:02 peptide receptive, biotinylated			
Concentration	3 µM in Proprietary Tris/Maleate buffer pH 7, 30% Glycerol			
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.			
Shelf life	easYmers® are stable at -20°C for 24 months.			
Loading buffer	Tris/Maleate pH 7			
Control Peptide	FRAPNTREL (20 nmol lyophilized peptide per vial)			
	HLA-C*07:02 binder and positive control for evaluation of peptide-HLA folding. Dissolve each peptide vial in 20 µl DMSO resulting in a peptide conc. of 1 mM. Store at -20°C			
Peptide source				

For Research Use Only (RUO)